



HERKOMER
ROOFING & BUILDING SERVICES

Say goodbye to leaking
flat roofs forever.

The ultimate flat roofing
system is here.....

GRP Fibreglass
by

Herkomer Roofing





The roofing system that has the potential to outlast the structure it is protecting

This new GRP roofing system is the proven solution to almost any flat roofing problem.

It is formed in situ on the roof deck to create a solid, fully bonded, waterproofing membrane that covers the entire roof without any seams, joints or welds, commonly the weakest point on other roofing systems.

GRP fibreglass is a hard wearing, structural waterproofing system which cannot be cut with a knife, won't deteriorate under UV light or extreme heat and will tolerate foot traffic.

The system comes complete with a 20 year guarantee on the materials from the manufacturer and a guarantee by us that the roof will remain leak free for at least 20 years (As recent studies have shown, some of the earliest GRP roofs laid more than thirty years ago are still in service

- OSB3 18mm boards are the standard decking for this roofing system.
- The cured polyester roofing resins used in our GRP laminate do not give off substances that can harm the environment or create any other toxic by-products.
- The long life span of the GRP roofing system out performs virtually every other roofing system. This eliminates the environmental cost of producing and installing replacement roofing systems 10-20 years.



Any colour, any size, anywhere...

GRP fibreglass can be used on any size of roof regardless of complexity and is available with a choice of finishes and in a range of colours.

It can be adapted for almost any feature including, but not limited to: window casements, gutters, parapet walls, outlets, skylights, pipes, vents, steps and walls which can all be weatherproofed or incorporated into the laminate with ease.

It is an extremely durable material which can withstand foot traffic as standard and can be specified to withstand frequent, heavy foot traffic on walkways or balconies and is available with an optional non-slip finish. In many cases this system can be used to easily adapt flat roofs for use as balconies or terraces or incorporate a green roof or a roof garden.

Installation is straightforward and quick, with most domestic roofs taking a day including removal of the existing roof. The flexibility of the system means that any additions such as baulustrade supports, promenade tiles, solar panels, security lights or cameras can easily be bonded to the roof as required during or after installation.

A fibreglass roof is constructed from a strong GRP (Glass Reinforced Polyester) laminate applied in situ over a good quality OSB3 deck. The roof is finished with pre-formed GRP edge trims and a coating of topcoat.

Finishing Options

This system is available in any colour from the BS4800 range (see the colour chart for the standard range). The standard color is Graphite Grey (00 A 13.)

There are a choice of three finishes for the topcoat:

- **Standard smooth finish**
(any colour)
- **Coloured aggregate finish**
(any colour, rough)
- **Mineral Coat**
(anti-slip exposed slate finish)

Other services we offer:

- Re-roofing (Tile & Slate)
- Chimney stacks
- Guttering
- Fascias & soffits
- Cladding (wood & plastic)
- Lead work
- Roof repairs
- Pointing
- Decking & patios
- Lean to's built



www.herkomerroofing.co.uk

0208 950 3017

07717 315 389

